

HOUSE OF INDUSTRIAL TOOLS

SMITH

www.smithtools.co.in

Turnmax Standard Price List

(Exclusive of GST)

W.E.F 01/11/2021



HOUSE OF INDUSTRIAL TOOLS

**SMITH ENGINEERING COMPANY
SMITH INTERNATIONAL**

www.smithtools.co.in

Regd. Office : (MUMBAI)



11, Narayan Dhuru Cross
Lane, Daga Chambers
Mumbai - 400 003



(022) 2342 9794,
2345 0444



smith@smithtools.in

Branch Office : (PUNE)



PAP-J/137, Smith House,
Near Quality Circle,
Telco Road, Bhosari,
Pune - 411 026



+91 9096410235
+91 9096410236



smith@smithtools.net

Regd. Office : (AHMD)



C-48, Aust Vinayak
Complex, Opp,
Dariyapur Gate,
Bardolpura
Ahmedabad - 380 004



(079) 22111003/04/05/06



smith@smithtools.org

Branch Office : (CHAKAN)




Shop No.13, Navratna
Complex, Pune- Nashik
Highway, Nanekarwadi,
Tal. Khed Dist,
Pune - 410 501.



+91 9096410235
+91 9096410236



smith@smithtools.net



DEAD CENTER

PLAIN MALE POINT

M.T. No.	PLAIN DEAD (FULL)	HALF DEAD	CNC DEAD CENTER (WITH DRAW OFF NUT)	
			EXTENDED	STUB
1	300	450	-	-
2	300	450	1150	925
3	300	450	1150	925
4	450	650	1250	1150
5	1175	1650	3150	2450
6	3400	4800	6500	6275
7	14250	-	-	-

75% Extra charges for female Dead Center. Female Dead Center available only in Plain (full) model. Female hole specifications as per our specifications only.

DEAD CENTER

CARBIDE TIPPED POINT

M.T. No.	TIP DIAMETER	CARBIDE TIPPED FULL	CARBIDE TIPPED HALF	CNC DEAD CENTER (WITH DRAW OFF NUT)	
				EXTENDED	STUB
1	5 mm	850	990	-	-
2	8 mm	865	990	2050 (8 mm)	2050
3	11 mm	1100	1485	2050 (11 mm)	2050
4	14 mm	1760	2200	2600 (11 mm)	2600
5	18 mm	3520	4235	4620 (14 mm)	4620
6	18 mm	6700	8400	9150 (18 mm)	9150

DEAD CENTER

CARBIDE TIPPED SPECIAL

M.T.	SIZE	PRICE	M.T.	SIZE	PRICE	M.T.	SIZE	PRICE
MT-2	TIP Ø 11	1815	MT-3	TIP Ø 25	7100	MT-4	TIP Ø 33	10950
MT-2	TIP Ø 14	2420	MT-3	TIP Ø 28	8750	MT-5	TIP Ø 22	7315
MT-2	TIP Ø 18	3250	MT-4	TIP Ø 18	3750	MT-5	TIP Ø 25	8635
MT-3	TIP Ø 14	2420	MT-4	TIP Ø 22	6270	MT-5	TIP Ø 28	10120
MT-3	TIP Ø 18	3250	MT-4	TIP Ø 25	7315	MT-5	TIP Ø 33	12815
MT-3	TIP Ø 22	5950	MT-4	TIP Ø 28	8750	MT-5	TIP Ø 40	17215

Dead Centers with other Special Tip Diameter manufactured against order.

DEAD CENTER

WITH FULL 60° AS CARBIDE

M.T.	MT-2	MT-3	MT-4	MT-5
PRICE	8500	9800	13700	25200



LATHE HEADSTOCK SLEEVE

MT 3-5	STANDARD : 4' LATHE (Specify outer dia. if not sure)	650
MT 4-6	FOR HEAVY DUTY LATHES	800

TOOL POST GRINDER

HORIZONTAL MODEL

SIZE	4"	6"	8"	10" LIGHT DUTY
COMPLETE : EXTERNAL GRINDER WITH INT. GRINDING ATTACHMENT	16000	20500	24500	30125
EXTERNAL GRINDER ONLY (MAX - WHEEL SIZE)	9900 (4"X1/2"X1/2")	11500 (6"X3/4"X5/8")	13500 (8"X3/4"X3/4")	18750 (10"X1"X1 1/4")
INTERNAL GRINDING ATTACHMENT (WITHOUT C. I. BODY)	6100	9000	11000	11375

All prices without Electric Motor.

VERTICAL MODEL

SIZE	EXTERNAL GRINDER ONLY
6"	13500

prices without Electric Motor.

SPARES FOR TOOL POST GRINDER

SIZE	6"	8"
CAST IRON BODY (Machined and with motor plate. Without Guards)	4500	4980
INTERNAL SPINDLE ONLY (Without Motor Pulley & Belt)	9100	11115
EXTERNAL SPINDLE ONLY (Without Wheel, Body, Guards etc.)	8775	10100
ALUMINIUM MOTOR PULLEY (Flat Belt. For Internal Grinding Attachment)	1985	1820
INT-EXT SPINDLE / EXT MOTOR PULLEY (Each)	420	450
ENDLESS NYLON FLAT BELT (For Internal Grinding)	675	675



EXTENSION SOCKET

M.T. No.	PRICE	M.T. No.	PRICE
1 - 1	950	4 - 5	3150
1 - 2	1100	5 - 1	2100
2 - 1	1260	5 - 2	2470
2 - 2	1260	5 - 3	2680
2 - 3	1420	5 - 4	2835
3 - 1	1260	5 - 5	3520
3 - 2	1450	5 - 6	10400
3 - 3	1530	6 - 2	5355
3 - 4	1850	6 - 3	6150
4 - 1	1630	6 - 4	6150
4 - 2	1680	6 - 5	6150
4 - 3	1680	6 - 6	16500
4 - 4	2310	6 - 7	19900

SPLIT SLEEVE (FOR TAPS, DRILLS & CENTER DRILLS)

M.T. No.	SIZE	PRICE
1	TAP : M-4, M-5, M-5 Short hand tap M-6, M-8, M-10 3/16", 1/4", 5/16" BSW / UNC	475
1	DRILL SIZE : 4 mm to 8.5 mm, 3/16" to 21/64"	630
1	CENTER DRILL : BS-1, BS-2, BS-3	630
2	TAP : M-6, M-8, M-10, M-10 Short hand tap, M-12, M-14, M-16 1/4", 5/16", 3/8", 3/8" Short hand tap, 7/16", 1/2", 5/8" BSW / UNC	475
2	DRILL SIZE : 5 mm to 14 mm, 7/32" to 35/64"	630
2	CENTER DRILL : BS-2, BS-3, BS-4	630
3	TAP : M-12, M-14, M-16, M-18, M-20, M-22, M-24	685
3	CENTER DRILL : BS-4, BS-5, BS-6	895
4	TAP : M-12, M-16, M-18, M-20, M-24, M-27, M-30	1470
5	TAP : M-24, M-27, M-30, M-36, M-42	2200

While ordering Split Sleeve for Taps specify Shank and Square size.

Ordering eg. Split Sleeve MT-2 : Shank Dia. 9.0 mm x Square Size 7.10 mm.

Split Sleeve for Drills in MT-1 & MT-2 are Manufactured against order, Also only sizes for Drills Specified in the specification leaflet are made. There for always ascertain delivery period



REVOLVING CENTERS & CNC TOOL HOLDERS



SLOW SPEED CENTERS

FOR CONVENTIONAL & SLOW SPEED LATHES.

REVOLVING CENTER : PLAIN POINT

M.T. No.	STANDARD	EXTRA HEAVY DUTY FOUR BEARING	SUPER EXTRA HEAVY DUTY	JUMBO HEAVY DUTY	JUMBO COMPACT
1	2150	-	-	-	-
2	2200	-	-	-	-
3	1950	3750	-	-	-
4	2300	3950	7550	-	-
5	4250	7650	11900	-	26750
6	17500	19450	31550	47250	52300
7	-	-	55650	-	62000

90° point - 25% Extra. Female Point - 25% Extra

REVOLVING CENTER : CARBIDE TIPPED POINT

MODEL	MT - 1	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
STANDARD Carbide Tipped	3250	3250	2850	3950	6250	19500
EXTRA HEAVY DUTY (4 Bearing) Carbide Tipped	-	-	5500	6650	9350	24000

SPARE POINT

MODEL	MT - 1	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
STANDARD PLAIN 60°	425	425	350	450	575	1700
STANDARD Carbide Tipped	1400	1400	1350	1700	3200	6000

HIGH SPEED CENTERS

FOR HIGH SPEED APPLICATIONS AS IN CNC TURNING LATHES

MODEL : CNC HEAVY DUTY - R

MODEL	MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN POINT	6950	6000	6250	9950	36750
CARBIDE TIPPED	8200	7800	7900	12200	42000

Stub Point, Extended Point & Profiled Point Supplied at Same Price.

Draw Off Nut provided @ 20% extra cost.

MODEL : CNC HEAVY DUTY - R WITH INTERCHANGEABLE POINT

MODEL	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN POINT	6950	6850	11550	46750
CARBIDE TIPPED (Stub & Extended only)	8775	8775	13900	51000

Stub Point, Extended Point & Profiled Point Supplied at Same Price.



Stub Point

Extended Point

Special Point



SPARE POINT FOR INTERCHANGEABLE MODEL

MODEL	MT - 3	MT - 4	MT - 5
PLAIN : STUB OR EXTENDED	525	600	880
PLAIN : PROFILED	650	725	1050
CARBIDE TIPPED : STUB OR EXTENDED	1485	1850	3500
PC Type : 25 - 45	-	1600	1800
PC Type : 45 - 65	-	1800	2000
PC Type : 65 - 85	-	2100	2400

MODEL : CNC MEDIUM DUTY - WITH SMALL CASING DIA

MODEL	MT - 2	MT - 3	MT - 4	MT - 5
PLAIN : STUB POINT	6725	6650	6250	11550

Stub Point, Extended Point & Profiled Point Supplied at Same Price.

MODEL : CNC MEDIUM DUTY - SLIMLINE

MODEL	MT - 3	MT - 4	MT - 5	MT - 6
PLAIN : STUB POINT	6750	6900	18375	42000

Stub Point, Extended Point & Profiled Point Supplied at Same Price.

WEDGE

MODEL	MT - 3	MT - 4	MT - 5
Wedge to Remove Interchangeable Point from Female Sleeve	375	375	480
Wedge to Remove Revolving Center from Tail Stock	650	650	675

CNC LATHE TURRET SLEEVE

SIZE	PRICE	SIZE	PRICE
Dia. 16 x ID : 8, 10	700	Dia. 32 x ID : 8, 10, 12, 14, 16, 18, 20, 25	700
Dia. 20 x ID : 8, 10, 12	700	Dia. 40 x ID : 8, 10, 12, 14, 16, 18, 20, 25, 32	750
Dia. 25 x ID : 8, 10, 12, 14, 16, 18, 20	700	Dia. 50 x ID : 10, 12, 16, 20, 25, 32, 40	1800

TURRET SOCKET

OUT SIDE DIA.	IN SIDE MT	PRICE
Ø 25	MT - 1, 2	700
Ø 32	MT - 1, 2, 3	700
Ø 40	MT - 1, 2, 3, 4	750
Ø 50	MT - 1, 2, 3, 4	1800



PIPE CENTER (SLOW SPEED REVOLVING)

CAPACITY		MT - 2	MT - 3	MT - 4	MT - 5	MT - 6
BLUNT	POINTED					
25 - 50	0 - 2"	2600	2550	2900	3700	-
30 - 65	0 - 2 1/2"	2900	2850	3200	4100	-
40 - 75	0 - 3"	3200	3100	3600	4375	-
50 - 90	0 - 3 1/2"	3500	3500	3800	4850	-
65 - 100	0 - 4"	-	4000	4350	6050	10700
75 - 125	-	-	6800	7300	9300	12150
35 - 125	-	-	8100	8450	10700	14300
-	0-5"	-	9000	9300	11800	16850
75 - 150	-	-	-	9950	11500	16350
100 - 175	-	-	-	17300	18000	22250
100 - 200	-	-	-	22000	23275	28500
100 - 230	-	-	-	-	27600	31900
200 - 275	-	-	-	-	-	75000

CNC PIPE CENTER (BLUNT) (HIGH SPEED REVOLVING)

CAPACITY	MT - 3	MT - 4	MT - 5	MT - 6
30 - 65	7500	7500	-	-
40 - 75	9000	9000	10300	-
50 - 100	11000	11000	12000	-
65 - 125	-	20000	22000	32000
75 - 150	-	23000	25000	34000
100 - 200	-	-	50000	55000

ER COLLETS (DIN 6499)

TYPE	BORE SIZE / RANGE	PRICE	TYPE	BORE SIZE / RANGE	PRICE
ER-16	2 - 10 mm (1 mm Step)	450	ER-32	3 - 20 mm (1 mm Step)	500
ER-20	2 - 13 mm (1 mm Step)	460	ER-40	4 - 26 mm (1 mm Step)	625
ER-25	2 - 16 mm (1 mm Step)	475			

PULL STUD

SHANK	SIZE	PRICE	SHANK	SIZE	PRICE
BT-30 (MAS 403)	45°, 60°, 90°	325	SK-40 (DIN69872)	Form A / B	325
BT-40 (MAS 403)	45°, 60°, 90°	325	SK-50 (DIN69872)	Form A / B	600
BT-50 (MAS 403)	45°, 60°, 90°	600			

10% Extra Charges for Through Coolant Hole

COLLET CHUCK FOR ER COLLET (DIN 6499)

SIZE	(PRICE WITHOUT SPANNER)	PRICE	SIZE	(PRICE WITHOUT SPANNER)	PRICE
BT-30	ER-16 x 60 (Hex Type)	2100	BT-40	ER-40 x 160	3075
BT-30	ER-20 x 60 (Hex Type)	2100	BT-50	ER-25 x 90	5450
BT-30	ER-25 x 60	2100	BT-50	ER-25 x 125	6050
BT-30	ER-32 x 60	2100	BT-50	ER-25 x 160	7700
BT-40	ER-16 x 70 (Hex Type)	2250	BT-50	ER-32 x 90	5450
BT-40	ER-16 x 100 (Hex Type)	2500	BT-50	ER-32 x 125	6050
BT-40	ER-16 x 150 (Hex Type)	2925	BT-50	ER-32 x 160	7700
BT-40	ER-20 x 70 (Hex Type)	2250	BT-50	ER-40 x 90	5860
BT-40	ER-20 x 120 (Hex Type)	2500	BT-50	ER-40 x 125	6325
BT-40	ER-20 x 160 (Hex Type)	2925	BT-50	ER-40 x 160	7700
BT-40	ER-25 x 70	2250	MT-2	(Tang Type) ER-16	1500
BT-40	ER-25 x 120	2500	MT-2/3	(Drawbolt Type) ER-25/32	2500
BT-40	ER-25 x 160	2925	MT-4	(Drawbolt Type) ER-32/40	2600
BT-40	ER-32 x 70	2250	MT - 5	(Drawbolt Type) ER-32/40	4500
BT-40	ER-32 x 100	2650	R8	M12x1.5 or 7/16" UNF ER-32/40	2200
BT-40	ER-32 x 120	2750	ISO-30	ER-32/40	2600
BT-40	ER-32 x 160	2975	ISO-40	ER-32/40	2600
BT-40	ER-40 x 80	2250	ISO-50	ER-32/40	5450
BT-40	ER-40 x 120	2850			

STUB MILLING ARBOUR

SHANK	SIZE	PRICE	SHANK	SIZE	PRICE
BT-30	16 x 45	2100	BT-40	22 x 160, 27 x 160	4350
BT-30	22 x 45	2100		32 x 160	
BT-30	27 x 45	2100	BT-40	22 x 175, 22 x 200	6750
BT-40	16 x 50, 22 x 50	2250	BT-50	16 x 60, 22 x 60	5030
BT-40	27 x 60	2250		27 x 60, 32 x 75	
BT-40	32 x 70	2750	BT-50	16 x 105, 22 x 105	6600
BT-40	40 x 70	2750		27 x 105, 32 x 105	
BT-40	16 x 90, 22 x 90	2500	BT-50	40 x 105	7700
BT-40	27 x 90	2500	BT-50	16 x 160, 22 x 160	7700
BT-40	32 x 100	3300		27 x 160, 32 x 160	
BT-40	40 x 100	3300	BT-50	40 x 160	8800

Flange Type Stub Milling Arbours of Size 40 mm & 60 mm for Cutter Diameter Greater than 160 mm also available.





CYLINDRICAL SHANK COLLET CHUCK

SIZE (Price Without Spanner)	PRICE	SIZE (Price Without Spanner)	PRICE
Ø 16 x ER - 11M x 60L	1750	Ø 25 x ER - 20M x 150L	2250
Ø 16 x ER - 11M x 100L	1975	Ø 25 x ER - 20HEX x 100L	2225
Ø 16 x ER - 11M x 150L	2250	Ø 25 x ER - 25ROUND x 60L	2500
Ø 16 x ER - 11HEX x 60L	1750	Ø 32 x ER - 25M x 60L	2225
Ø 16 x ER - 16HEX x 60L	1750	Ø 32 x ER - 25M x 100L	2525
Ø 16 x ER - 16HEX x 100L	1975	Ø 32 x ER - 25M x 150L	2975
Ø 16 x ER - 16HEX x 150L	2250	Ø 32 x ER - 16HEX x 65L	2500
Ø 20 x ER - 16M x 60L	1650	Ø 32 x ER - 20HEX x 65L	2500
Ø 20 x ER - 16M x 100L	1675	Ø 32 x ER - 25ROUND x 65L	2500
Ø 20 x ER - 16M x 150L	1850	Ø 32 x ER - 32ROUND x 65L	2500
Ø 20 x ER - 20HEX x 60L	1650	Ø 40 x ER - 20HEX x 85L	2500
Ø 20 x ER - 20HEX x 100L	1675	Ø 40 x ER - 25ROUND x 85L	2500
Ø 20 x ER - 20HEX x 150L	1850	Ø 40 x ER - 32ROUND x 85L	2500
Ø 25 x ER - 20M x 60L	1900	Ø 40 x ER - 40ROUND x 85L	2500
Ø 25 x ER - 20M x 100L	2225		

SIDE LOCK HOLDERS

SIZE	PRICE	SIZE	PRICE
BT-30 10, 12, 16, 20	2100	BT-40 40 mm (Slimline)	2450
BT-40 10, 12, 16 mm	2250	BT-50 12 mm	5225
BT-40 20 mm	2300	BT-50 16, 20, 25, 32 mm	4760
BT-40 25 mm (Slimline)	2300	BT-50 40 mm	6050
BT-40 32 mm (Slimline)	2450	BT-50 50 mm	7150

MILLING REDUCTION SOCKET

SHANK	MT-1	MT-2	MT-3	MT-4	MT-5
BT - 30 STANDARD	2100	2100	2100	-	-
BT - 40 STANDARD	2250	2250	2250	2450	-
BT - 40 EXTENDED	3000	3000	3500	3950	-
BT - 50 STANDARD	5100	5100	5100	5775	8160
BT - 50 EXTENDED	7000	7200	7500	7800	12400

DRILL CHUCK ARBOUR

SIZE	PRICE	SIZE	PRICE
BT-40 JT-1, 2S, 6	2250	BT-50 JT-6	4675

SPARES

SIZE	PRICE	SIZE	PRICE
NUT ER-11 <i>M/Hex Type</i>	550	SPANNER ER-16 <i>M Type</i>	475
NUT ER-16 <i>M/Hex Type</i>	475	SPANNER ER-20 <i>M Type</i>	575
NUT ER-20 <i>M/Hex Type</i>	575	SPANNER ER-25 <i>M Type</i>	695
NUT ER-25 <i>M/Round Type</i>	600	SPANNER ER-25/32 <i>Multi Hook</i>	595
NUT ER-32/40 <i>Round Type</i>	650	SPANNER ER-40 <i>Multi Hook</i>	650
SPANNER ER-11 <i>M Type</i>	475	C HOOK SPANNER ER-25,32,40	425

SK TAPER TOOL HOLDERS (DIN 69871)

COLLET CHUCK FOR ER COLLET (DIN 6499)

SIZE (Price Without Spanner)	PRICE	SIZE (Price Without Spanner)	PRICE
SK-40 ER - 16 x 70 (<i>Hex Type</i>)	2450	SK-40 ER - 25 x 160	3800
SK-40 ER - 16 x 100 (<i>Hex Type</i>)	2800	SK-40 ER - 32 x 70	2450
SK-40 ER - 16 x 150 (<i>Hex Type</i>)	3500	SK-40 ER - 32 x 120	3300
SK-40 ER - 20 x 70 (<i>Hex Type</i>)	2450	SK-40 ER - 32 x 160	3800
SK-40 ER - 20 x 120 (<i>Hex Type</i>)	2800	SK-40 ER - 40 x 80	2450
SK-40 ER - 20 x 160 (<i>Hex Type</i>)	3500	SK-40 ER - 40 x 120	3300
SK-40 ER - 25 x 70	2450	SK-40 ER - 40 x 160	3800
SK-40 ER - 25 x 120	2800		

Also available in SK-40 Taper : Side Lock Holder, Stub Milling Arbour, Milling Reduction Socket. Prices against request.

KEYLESS DRILL CHUCK

SIZE	PRICE
0-6.5 mm with MT-2 JT-1 Arbour & Spanner	5250
0.5-8 mm with MT-2 JT-2 Arbour & Spanner	5500
1-13 mm with MT-2 JT-6 Arbour & Spanner	6350
3-16 mm with MT-3 JT-3 Arbour & Spanner	8500
5-20 mm with MT-3 JT-3 Arbour & Spanner	12000
Integral Shank BT-30 / ISO-30 1-13 mm with Spanner	8500
Integral Shank BT-40 / ISO-40 / SK-40 1-13 mm with Spanner	8500
Integral Shank BT-50 / ISO-50 1-13 mm with Spanner	10250
Spare Spanner	350

- Wipe the tapers of arbour and chuck with kerosene before use.
- Do not clamp chuck in vise or lathe chuck.
- No replacement on keyless chuck.





MILLING ACCESSORIES





COLLET ADAPTOR FOR 'E' TYPE COLLET (SCH. / TAIL)

SIZE (PRICE WITHOUT SPANNER)			PRICE
ISO-30	E-32	M-12	3075
ISO-30	E-40	M-12	2350
ISO-40	E-32	M-16	3650
ISO-40	E-40	M-16	2100
ISO-40	E-45	M-16	3500
ISO-50	E-40	M-24	4800
ISO-50	E-45	M-24	6200
R8	E-32	M-12X1.5	3150
R8	E-40	M-12X1.5	2650
MT-2	E-40	M-10 (Draw bolt Type)	2450
MT-3	E-40	M-12 (Draw bolt Type)	2450
MT-4	E-40	M-16 (Draw bolt Type)	2600
MT-5	E-40	M-20 (Draw bolt Type)	3800
MT-5	E-45	M-20 (Draw bolt Type)	5300
MT-3	E-40	(Tang type without Cottar Slot)	2850
MT-4	E-40	(Tang type without Cottar Slot)	2950
MT-5	E-40	(Tang type with Cottar Slot)	4850
MT-5	E-45	(Tang type with Cottar Slot)	6200
MT-6	E-40	M-24 (Draw bolt Type)	9750
MT-6	E-45	M-24 (Draw bolt Type)	9750
MT-6	E-40	(Tang type with Cottar Slot)	9875
MT-6	E-45	(Tang type with Cottar Slot)	10000
Spare Spanner		(C Hook Type)	425
Spare Nut		(E Type)	525
Cotter Slot specifications only as Per IS : 6682-1972 Other designs of Cotter Slots shall not be made.			

MILLING REDUCTION SOCKET

SHANK			PRICE
ISO-30	MT-1	TYPE - A	2150
ISO-30	MT-2	TYPE - A	2150
ISO-30	MT-3	TYPE - A	2200
ISO-40	MT-1	TYPE - A	2300
ISO-40	MT-2	TYPE - A	2300
ISO-40	MT-3	TYPE - A	2500
ISO-40	MT-4	TYPE - A	2800
ISO-50	MT-1	TYPE - A	4900
ISO-50	MT-2	TYPE - A	4900
ISO-50	MT-3	TYPE - A	4900
ISO-50	MT-4	TYPE - A	5000
ISO-50	MT-5	TYPE - A	5500
R8	MT-1	M12x1.5 or 7/16" UNF	1100
R8	MT-2	M12x1.5 or 7/16" UNF	1200
R8	MT-3	M12x1.5 or 7/16" UNF	1250
ISO 50 - ISO 40			6000



SIDE LOCK HOLDERS		
SIZE		PRICE
R8	16, 20, 25 mm	2350
ISO - 30	16, 20 mm	2175
ISO - 40	16, 20, 25, 32 mm	2945
ISO - 50	16, 20, 25, 32 mm	4345
ISO - 50	40 mm	7975

COLLETS				
TYPE	BORE SIZE / RANGE			PRICE
E-32 Schaublin	5 - 20 mm	(1 mm Step)		630
E-40 Schaublin	3 - 25 mm	(1 mm Step)	1/4" - 1"	(1/16" Step) 425
E-40 Tail	3 - 25 mm	(1 mm Step)	1/4" - 1"	(1/16" Step) 450
E-45 Schaublin	6 - 32 mm	(1 mm Step)		700
R8	3 - 25 mm	(1 mm Step)	1/4" - 1"	(1/16" Step) 600

STUB MILLING ARBOUR		
SHANK	SIZE	PRICE
ISO-30	16, 22, 27 mm	2175
ISO-40	16, 22, 27, 32, 40 mm	2300
ISO-40	1"	3450
ISO-50	16, 22, 27, 32, 40 mm	4565
MT - 3 (Drawbolt Type)	16, 22, 27 mm	2250
MT - 4 (Drawbolt Type)	16, 22, 27, 32, 40 mm	3185
MT - 5 (Drawbolt Type)	16, 22, 27, 32, 40 mm	3850
MT - 5 (Tang type with cotter slot)	16, 22, 27, 32, 40 mm	4565
R8	16, 22, 27, 32, 40 mm	2665

STUB MILLING ARBOUR : FLANGE TYPE		
SIZE		PRICE
ISO - 40	40 mm	6500
ISO - 50	40 mm	8500
ISO - 40	60 mm	9500
ISO - 50	60 mm	11000

DRILL CHUCK ARBOUR		
SIZE		PRICE
ISO-30	JT-1, 2S, 6, 3	2120
ISO-40	JT-6	2120
ISO-40	JT-1, 2S, 3	3300
R8	JT-1, 2S, 6	1750



DCA : R8

DRILL CHUCK ARBOUR - MORSE TAPER

SIZE		PRICE
MT-1	JT-1 (1/4"), JT-2 (3/8"), JT-6 (1/2")	165
MT-2	JT-1 (1/4"), JT-2 (3/8"), JT-6 (1/2")	165
MT-2	JT-3 (3/4")	275
MT-3	JT-6 (1/2"), JT-2 (3/8"), JT-3 (3/4")	195
MT-3	JT-5 (1")	600
MT-4	JT-6 (1/2"), JT-3 (3/4"), JT-5 (1")	575
MT-5	JT-6 (1/2"), JT-3 (3/4"), JT-5 (1")	1100

DRILL SLEEVE

M.T. No.	PRICE	M.T. No.	PRICE	M.T. No.	PRICE
0 - 1	575	1 - 3	380	3 - 6	3800
1 - 2	295	1 - 4	575	3 - 5	975
2 - 3	315	1 - 5	1150	2 - 6	4300
3 - 4	440	6 - 7	11825	2 - 5	1000
4 - 5	950	5 - 7	11800	2 - 4	575
5 - 6	3150	4 - 6	3560	1 - 6	4300

QUICK CHANGE CHUCKS

SIZE	PRICE
M.T. No. 2	2100
M.T. No. 3	2450
M.T. No. 4	3900
M.T. No. 5	5775

QUICK CHANGE CHUCKS COLLET

SIZE					PRICE
CO - 21	CO - 22	-	-	-	715
CO - 31	CO - 32	CO - 33	-	-	770
CO - 41	CO - 42	CO - 43	CO - 44	-	1050
CO - 51	CO - 52	CO - 53	CO - 54	CO - 55	2200

FLOATING REAMER HOLDER

SIZE					PRICE
FR - 21	FR - 22	-	-	-	990
FR - 31	FR - 32	FR - 33	-	-	1150
FR - 41	FR - 42	FR - 43	FR - 44	-	1500

WHY

*Run Around in Circles When You Can Get
All Your Engineering Requirements Under One Roof?*

SMITH ENGINEERING COMPANY SMITH INTERNATIONAL

www.smithtools.co.in

*The One Stop For All Your Engineering Requirements
At Competitive Price, Backed By Efficient Services*

Authorised Stockist For



Regd. Office : (MUMBAI)



11, Narayan Dhuru Cross
Lane, Daga Chambers
Mumbai - 400 003



(022) 2342 9794,
2345 0444



smith@smithtools.in

Branch Office : (PUNE)



PAP-J/137, Smith House,
Near Quality Circle,
Telco Road, Bhosari,
Pune - 411 026



+91 9096410235
+91 9096410236



smith@smithtools.net

Regd. Office : (AHMD)



C-48, Aust Vinayak
Complex, Opp,
Dariyapur Gate,
Bardolpura
Ahmedabad - 380 004



(079) 22111003/04/05/06



smith@smithtools.org

Branch Office : (CHAKAN)



Shop No.13, Navratna
Complex, Pune- Nashik
Highway, Nanekarwadi,
Tal. Khed Dist,
Pune - 410 501.



+91 9096410235
+91 9096410236



smith@smithtools.net